

# SHOW ROOM Feel free to drop by the Sekisui Tatami MIGUSA showroom at any time.

In addition to the ZEN collection of floor tatami using MIGUSA, it is also possible to view samples of various Tatami surfaces in the showroom, including the Earth Color collection and the Sucrée collection. The Space Suggestion area provides two space exhibitions to facilitate consideration into living room coordination. A rich selection of tatami in various colors is available, so you can match them up and see for yourself. Feel free to drop by the Sekisui Tatami MIGUSA showroom at any time.



## Sekisui Tatami MIGUSA Tokyo Showroom


Reservations Required

4F Sumitomo Shoji Kanda-izumicho Bldg.,  
1 Kandaizumi-cho, Chiyoda-ku, Tokyo 101-0024

Opening Hours: Monday to Friday 10:00 to 12:00, 13:00 to 17:00  
Closed: Saturday, Sunday, National Holidays, Summer Period, Consecutive Holidays,  
Year-End/New-Year Holidays

Access: 6-minutes' walk (approximately 550m) from Akihabara Station on the Tokyo Metro Hibiya Line  
8-minutes' walk (approximately 700m) from JR Akihabara Station  
10-minutes' walk (approximately 800m) from Iwamoto-cho Station on the Toei Shinjuku Line

Reservations and Inquiries: Call the Freedial number listed at the bottom of the page,  
or the following reservation number: 03-6837-0305



## Sekisui Tatami MIGUSA Osaka Showroom

Reservations Required

Nakanoshima Daibiru 25F,  
3-3-23 Nakanoshima, Kita-ku, Osaka 530-6125

Opening Hours: Monday to Friday 10:00 to 12:00, 13:00 to 17:00  
Closed: Saturday, Sunday, National Holidays, Summer Period, Consecutive Holidays,  
Year-End/New-Year Holidays

Access: 4-minutes' walk (approximately 250m) from Watanabe-bashi Station on the Keihan Nakanoshima Line  
12-minutes' walk (approximately 1,000m) from JR Osaka Station  
5-minutes' walk (approximately 400m) from Higo-bashi Station on the Yotsubashi Metro Line

Reservations and Inquiries: Call the Freedial number listed at the bottom of the page



日本アトピー協会推薦品 承認番号 S 608700 A  
このマークは、日本アトピー協会推薦品であることを表すマークです。  
日本アトピー協会はアトピー性皮膚炎及びアレルギー性疾患患者の方  
の生活向上支援と、同疾患への正しい理解のための情報発信を行う  
ことを目的としています。



### Authorized Izumo Brand Products

Sekisui Tatami MIGUSA has been authorized as a unique product  
for nationwide and worldwide distribution for the purpose of  
achieving growth in sales and production and for enhancing the  
recognition value and image of the Izumo brand.

### Precautions When Using System Tatami:

- Designed as tatami for permanent laying; avoid use as placing tatami.
- Made of resin, so do not place irons or other hot articles directly on the tatami.
- Heavy articles and localized weight, such as chair-legs, etc., will cause denting and must be avoided.
- Do not throw a tatami mat or drop it on the corners.
- Designed to prevent discoloring and soiling, but in the event of the surface of the tatami becoming soiled or dusty, wipe it with a damp cloth that has been well wrung.
- Immediately wipe off all oil-based fluids (kerosene, cooking oil, pesticides, etc.) with a neutral detergent. Failure to observe this may result in the outbreak of fire, discoloring, swelling or other problems.
- Foreign matter, liquid and other substances getting under the tatami may result in the outbreak of mold, so make sure the under surface is also cleaned periodically.

## SEKISUI SEIKEI CO., LTD.

Nakanoshima Daibiru 25F, 3-3-23 Nakanoshima, Kita-ku, Osaka 530-6125 Japan

### - Sales Offices -

#### East Japan Stretching Sales Office

4F Sumitomo Shoji Kanda-izumicho Bldg., 1 Kandaizumi-cho, Chiyoda-ku, Tokyo 101-0024  
TEL.03-6837-0303, FAX.03-3865-5653

#### West Japan Stretching Office

Nakanoshima Daibiru 25F, 3-3-23 Nakanoshima, Kita-ku, Osaka 530-6125  
TEL.06-6479-0274, FAX.06-6479-0265

#### Tohoku Branch

8-1 Rokuchonomenishi-machi, Wakabayashi-ku, Sendai, Miyagi 984-0011 (6F Saiki Center Bldg.)  
Tel: 022-288-1615

### - Factory -

#### Izumo Factory

4002-2 Hikawacho-Naoue Izumo, Shimane 699-0631  
Tel.0853-72-0301, Fax.0853-72-9018

### Website

<http://www.sekisuimigusa.jp>

MIGUSA



Consultations on tatami to be directed to our Customer Service Center **0120-393-756**

\* Specifications as of September 2018. \* There are cases in which actual colors may differ from the colors printed here.  
\* Specifications are subject to modification without prior notice. \* Contact us for details on production orders.

SET (SYE01) .2019.05.00.0.5K  
All rights reserved.

# SEKISUI

# MIGUSA

SEKISUI TATAMI



# Flooring material

TATAMI MODERN STYLE

# SEKISUI MIGUSA

# PRODUCT CATALOG

Tatami Used [earth color-9.blue lagoon]





# Tatami life

Japanese Traditional Flooring Materials

Tatami Used[earth color-1.sand beach]

**Teaching the world about Japan's traditional flooring material.**  
**Safe and comfortable lifestyles with materials and design utilizing a new sensation.**

**POINT 01**

**A level of comfort that facilitates lounging on the floor, that is gentle on the feet, and that is pleasant to the touch.**

Provides a special level of relaxation attained from the pleasure of walking barefoot and lying on the floor. They also provide a perfect location for playing and napping, and are therefore recommended for small children. The facing and inner core of the tatami produce an appropriate level of cushioning to absorb impact, and it is this high level of safety that makes tatami so appealing.



**POINT 02**

**Bringing a sense of richness that reverberates with a sense of relaxation and openness to the home.**

Adopting a lifestyle involving sitting on the floor (yukaza) lowers the line of sight and creates a sense of openness. It also binds the family closer together and facilitates communication. System Tatami will enable you to obtain a floor-level lifestyle and create a sense of relaxed richness within the family.



**POINT 03**

**High-function tatami mats and our unique method of installation will enable a pleasant floor-level lifestyle to be enjoyed.**

System Tatami mats are the same thickness as flooring material, and bring a barrier-free sense of flatness to the floor. These tatami mats are original Sekisui mats that are both durable and safe. We are sure that you will enjoy a comfortable floor-level lifestyle. (Special border materials are also available.)






Made in Japan for peace of mind,  
as well as being clean and gentle to the touch.  
Long-term cleanliness and comfort.




Superior levels of functionality and sophisticated designs  
have been added to Japan's unique tatami flooring materials.  
Sekisui MIGUSA; high-function flooring material for a new age.

Sekisui MIGUSA is an original Sekisui flooring material consisting of resin treated with the perfect amount of inorganic material. Durability, safety and a rich variety of colors and patterns, etc., have been added to the gentle-to-the-touch and absorption aspects of this high-function tatami.



\* High-grade resin processing technology provides a gentle touch, elasticity and absorption.



\* Well-balanced mix of materials provide high functionality



## Comfort


Easy to use, easy to clean. Everlasting beauty.

Point 01 **Always Attractive**  
The colors don't easily fade,  
so it stays attractive always.




MIGUSA colors don't easily fade, and it has superior levels of durability. Tatami in rooms subject to large amount of direct sunlight experience very little discoloration.

Point 02 **Easy to Clean**  
Tough on moisture and soiling,  
and remains pleasant with  
no stains or odors.



Tough on moisture and soiling with cleaning rates standing at close to 100% (ease of removing soiling), maintenance and cleaning are simple chores.

Point 03 **Tough and Long-lasting**  
High levels of durability ensure  
that the tatami can be used in  
top condition for a long time.



MIGUSA is extremely tough, durable and resistant to aging and fraying, which enables it to be used in top condition for many years.

## Safety

User-friendly and environment-friendly  
A safe and anxiety-free flooring material

Point 04 **Always Hygienic**  
Resists the outbreak of ticks and  
mold to provide health and safety.



Based on a survey into the outbreak of mold with bacteria released into the tatami in an ambient temperature of 28°C and humidity at 97%

Experimental results	
<b>MIGUSA</b>	There were no signs of mold outbreaks even after three months had elapsed.

We all want to make sure that the items we sit on directly remain hygienic. MIGUSA Tatami surface eradicates the worry of ticks and mold, and is recommended by the Japan Atopic Dermatitis Patients Association.

Point 05 **Anxiety-Free Materials**  
Uses anxiety-free materials that  
take health into consideration.



Anxiety-free materials that do not emit formaldehyde, which is considered to be one of the causes of sick-house syndrome, or any other such substances.

Point 06 **Gentle on the Feet**  
Contains an appropriate level of  
elasticity that is gentle on the feet.




MIGUSA contains a structure similar to sponge with an appropriate level of elasticity, which is gentle on the feet and reduces impact.

## Design

Rich Expression

M MESEKI I ICHIMATSU A AZEURA  
E earth color S SUCRÉE J ZEN






## MATERIALS LINE UP


### earth color

The earth color range of stylish, distinctive and surprising colors makes bold statement of calculated beauty while providing a sense of grace and elegance to create a refined space that blends seamlessly with the surrounding floor.




### ZEN

Red warp makes traditional Japanese atmosphere.




### AZEKURA

Diagonal streaks create a distinctive yet elegant accent.




### SUCRÉE

The SUCRÉE range of attractive pop-inspired colors will brighten up any room.




### MESEKI

A strikingly modern style evocative of Hikime but with more tightly woven patterns, designed to complement modernistic interiors.



### ICHIMATSU

The checkerboard style of contrasting dark and light squares imparts a sense of style.



## PRODUCT INDEX

### PERMANENT/FIXED



Installation Required

### SYSTEM TATAMI

P8

A tatami requiring permanent laying as a flooring material. For use in new homes and renovated homes.

### INSTANT/REMOVABLE



Installation Not Required

### FLOOR TATAMI

P12

Tatami that can simply be placed in position. Regular-sized tatami mats 83cm square that can easily be laid and that provide comfort.



Laid Tatami SYSTEM TATAMI

75cm Tatami Sizes



A permanently-laid tatami installation system for new homes and renovated homes that will create safe and pleasant rooms.



Tatami Used [earth color-5.autumn leaves x 6.desert]

High-precision thin tatami 750mm square


+

Special border materials


+

Unique installation system

The use of special border materials reduces the difference in level between the flooring and the system tatami to enhance safety.



The integrated manufacture of high-precision thin 75cm square tatami mats with the same thickness as flooring material at a special factory located within Japan. Sekisui's unique installation system provides high quality within minimal periods.




System Tatami 3 Features

POINT 01

Fewer Installation and Reduced Costs  
[Sekisui's Unique Installation System]

This unique installation system that enables flooring and tatami to be installed simultaneously with the use of special border materials reduces the amount of time required for installation and cost.



POINT 02

Japan-Made for High-Quality and Safety  
[High-precision Thin Tatami 750mm Square]

This thin tatami, which is said to be difficult to process, uses an integrated production system that covers everything from the procurement of materials through to manufacture and shipment at a special factory located in Japan to provide high-precision and high-quality tatami.




POINT 03


Maintainability

[Easy Maintenance and Cleaning]

Maintaining and cleaning system tatami is easy. Daily cleaning requires only wiping with a damp cloth. Oil-based stains can be removed with a neutral detergent. In the event of them becoming damaged, it is necessary to replace only the damaged mats.



System Tatami Specifications



Tatami surface: [MIGUSA]

Cushioning

Core Material


Backing Paper

Backing Material

- Size: 750mm x 750mm x thickness of 15mm
- Weight: 3.6kg each
- Material: Tatami surface: [MIGUSA] (Polypropylene, Calcium Carbonate)
- Cushioning (Unwoven Polyester)
- Core Material: MDF [F☆☆☆☆] Made in Japan

Special Border Material

Total of three colors. Select dark through to light to fit to the color of the flooring.



Product Sizes

	Length	Number Required
For Use with 2 Mats	1,600 mm	2
For Use with 3 Mats	2,400 mm	2
For Use with 4 Mats	3,200 mm	2

- Acceptable Flooring Thickness: 12mm to 15mm
- Material: Border (Vinyl Chloride Resin)
- Package/Quantity: Two Per Set \* Border Material, Border Fixing Nails
- Corner Covers, Corner Cover Adhesive

Plan Examples	4 Tatami mats	6 Tatami mats	9 Tatami mats
Layout Pattern			
Required Border Materials	2-Tatami x 2 Sets	2-Tatami x 1 Set 3-Tatami x 1 Set	3-Tatami x 2 Sets


\* Four border materials are required for each location. Order two sets in accordance with the size of installation.



## Installation Procedure


A unique installation system that provides high quality within a minimal timeframe and at reduced cost.

### 1 Tatami Positioning




The lines that represent the standard for installation are marked out.

### 2 Border Slots Prepared First




First, the border slots are created along the standard lines.

### 3 Temporary Tatami Placement and Border Slot Installation




The border slots and tatami are temporarily placed and the lines are marked out. The border slots are then fixed in place.

### 4 Flooring Installation




The flooring and skirting boards on the walls are installed.

### 5 Border Slot Covers Installed



The border slot covers are installed.

### 6 Tatami Laid






The tatami is laid.

## Installation Guide

### step. 1 Select the Layout

System tatami can be installed in any of the layouts shown in the illustrations below. As the tatami is installed in combination with the flooring, flooring space of more than two sides is required.

#### Layout Pattern



### step. 2 Select the Plan

Up to four tatami mats of the standard 750 x 750mm size can be laid side-by-side. It is possible to lay a minimum of two up to a maximum of sixteen mats all together, so select the plan required according to the area of the room and its desired application.

### step. 3 Select the Color and Layout

Select the colors of the tatami and border material to fit to the image of the interior style. It is possible to arrange these in various styles by combining two or more tatami colors, laying them with the grain or checkerboard style.

#### Before Using System Tatami

- System tatami mats are specially designed for use in rooms in normal residential houses or similar residential facilities. They cannot be used outdoors or in locations where they are frequently exposed to moisture, such as in bathrooms.
- Plywood must be used for the substrate of system tatami mats. They cannot be installed directly onto concrete or be installed using a double-floor installation method.
- Substrate plywood 12mm or more in thickness must be used. (Joist substrate installation is strictly forbidden.)
- System tatami can be used with a finished flooring thickness of between 12mm and 15mm. (Recommended: finished flooring thickness of 12mm.)
- Avoid placing heavy articles on the tatami if possible. (Estimated weight allowance: 1kg/cm<sup>2</sup>). The legs of beds or similar furniture are to be placed on 10cm-square buffer blocks to disperse the weight.
- System tatami cannot be installed over underfloor heating systems. Contact us if you are considering installing underfloor heating.

## Installation Examples



Tatami Used [earth color-4.night forest]



Tatami Used [earth color-7.volcano]



**INSTANT/REMOVABLE** Installation Not Required

Placing Tatami **FLOOR TATAMI**

83cm  
Tatami Sizes



These 83cm-square regular-sized tatami mats are easily installed by placing them next to each other. They are gentle on the feet, and provide a soft, gentle touch.

With a rich variation of colors, these tatami mats can be coordinated in accordance with preference in living rooms where the whole family gather, in children's play rooms and in private rooms, etc.



Tatami Used [MESEKI-yellow x gray]

## Installation Examples




Tatami Used [SUCRÉE-3.grape x 6.mix]


The "Floor Tatami" weight of 4.2 kg/piece can easily be installed by women. Depending on the mood and purpose of the day, it can be remodeled, and used in several ways in the same room.



### Floor Tatami Specifications



- Size: 830mm x 830mm x thickness of 15mm
- Weight: 4.2kg each
- Material: Tatami surface:[MIGUSA] (Polypropylene, Calcium Carbonate)  
Cushioning (Unwoven Polyester)  
Core Material: MDF [F☆☆☆☆] Made in Japan  
Non-Slip Material (Polyethylene Foam)



Tatami Used [earth color-10.sunset red x 12.rose quartz]



# Installation Examples


Housing / Commercial

## Housing 01 \_\_ Entrance



ICHIMATSU-black

## Commercial 01 \_\_ Hotel




MESEKI-green

## Housing 02 \_\_ Living room




earth color-8.midnight

## Commercial 02 \_\_ Restaurant




MESEKI-brown



MESEKI-dark brown

## Housing 03 \_\_ Bed room



earth color-4.night forest

## Commercial 03 \_\_ Nursery



MESEKI-gray



MESEKI-ivory